## CSIR-NATIONAL METALLURGICAL LABORATORY JAMSHEDPUR-7

No.NML-1(S)/18-E-III

Dated: 24 /07/2020

## **TECHNICAL CORRIGENDUM**

In partial modification of page 17 of e-NIT of even number published on 15-07-2020 regarding procurement of security services at National Metallurgical Laboratory and its other premises located at Jamshedpur and Digha (W.B.), the Competent authority has approved the following corrigendum:-

## SCOPE OF WORK OF THE CONTRACT

A. Locations and Manpower Required: The contractor shall have to provide the security services at National Metallurgical Laboratory and its other premises located at Jamshedpur and Digha (W.B.). Details of the locations and manpower required are given below:

Total Number of manpower required: 61 persons

|      | Main Location (National Metallurgical Laboratory) | 12 Persons | (SG)                        |
|------|---|------------|-----------------------------|
| II.  | Pilot Plant (LSTF)                                | 11 Persons | (SG)                        |
| III. | Magnesium Plant                                   | 07 Persons | (SG)                        |
| IV.  | MCRS, Digha (W. B.), two locations                | 05 Persons | (SG)                        |
| V.   | Agrico Colony                                     | 10 Persons | (SG)                        |
| VI.  | Tuiladungri Colony                                | 07 Persons | (SG)                        |
| VII. | Pipe Line Area                                    | 03 Persons | (SG)                        |
| VIII | Circuit House Area                                | 03 Persons | (SG)                        |
|      | Total   | 58 Persons | Un armed Security<br>Guards |
|      | Security Supervisor                               | 03 Persons |                             |

Out of the above 03 Security Supervisors , 01 Security Supervisor will be deployed for manning and monitoring the electronic surveillance and attendance system at the laboratory.

The manpower requirement given above is indicative and may increase or decrease as per the requirement.

(Kaushik Bhattacharya)
Controller of Administration